

COMMERCIAL

PRODUCT OFFERING

METRO

PENNSYLVANIA, NEW JERSEY,
DELAWARE & NEW YORK



BELGARD
COMMERCIAL

Paver Applications



Pedestrian

Designated for areas that are primarily for pedestrian applications including commercial plazas that may require occasional access for emergency or maintenance vehicles, as well as residential driveways.



Light Vehicles

Designated for commercial vehicular areas, access ways, and parking lots where only cars and light trucks are anticipated. Heavy vehicles should have limited access and use.



Occasional Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where limited heavy vehicles are anticipated daily such as large delivery trucks or garbage trucks.



Frequent Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where heavy vehicles are a regular component of the daily traffic volume.

Paver application icons are general recommendations. Site conditions and pavement cross section must be considered. Paver application icons are based on placement over unbound aggregates for setting beds, base and subbase.

Paver Finishes



Standard (smooth)

Unit surfaces and micro-chamfers are carefully molded using a high-quality precision machined steel shoe assembly which creates units with an extremely smooth surface and precision detailed chamfer.

DuraFusion™

DuraFusion fuses a top layer of rich pigments with Belgard's core color process. The result is a paver with a richness and purity of color that's sleek and vibrant.



Textured (slate)

Units are molded to form a surface that emulates natural stone with a sculpted, textured finish.

DuraFusion™ + ColorTech™

DuraFusion™ + ColorTech™ multiplies the enhancement of DuraFusion™ with the protection of ColorTech™ to offer the highest quality concrete paver available today. The result is a smooth, gentle finish and vibrant color blend with unmatched protection against fading, stains and scratches.

Paver Color Palette

Solids

Consistent color tone used throughout products used primarily for design accents or to create a neutral backdrop.



PEARL



FOG



GRAY



MIDNIGHT



TAN



BOURBON*



BROWN*



ROSEWOOD

Tone-on-Tone

Variations of the same color in adjacent shades and tones, typically used for products with contemporary aesthetics.



SEPIA



HICKORY



SCANDINA GRAY



SHADED GRAY



ANTHRACITE

Blends

Blends of three or more complementary or contrasting colors, creating a more dramatic look.




CHESWICK



PEWTER BLEND *(Trilogy Series Only)*



IRON BAY *(Formerly Tucson)*



AUTUMN BLEND



ASHWOOD



PHOENIX



NEWPORT GRAY *(Formerly Pewter Blend)*



TEAK



TUCSON *(Trilogy Series Only)*



SONORAN



SILEX BLEND



DAKOTA BLEND



HARVEST BLEND

Modular Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA**	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	Textured	DuraFusion	DuraFusion + ColorTech		
DIMENSIONS™ 3-PIECE SYSTEM													
 Dimensions™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm				✓	✓				3 mm	120
 Dimensions™ 12	60 mm	12" x 6" 12" x 12" 12" x 18"	60 mm				✓	✓		✓	✓	3 mm	120
 Dimensions™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓	✓		✓	✓	3 mm	112.5
DIMENSIONS™ SLABS													
 9" x 18"	60 mm	9" x 18"	60 mm				✓	✓			✓	3 mm	112.5
 15" x 30"	60 mm	15" x 30"	60 mm				✓	✓			✓	3 mm	93.75
 12" x 24"	60 mm	12" x 24"	60 mm				✓	✓			✓	3 mm	120
 24" x 36"	60 mm	24" x 36"	60 mm				✓	✓			✓	3 mm	120
ORIGINS™ 3-PIECE SYSTEM													
 Origins™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm				✓		✓			3 mm	120
 Origins™ 12	60 mm	12" x 6" 12" x 12" 12" x 18"	60 mm				✓		✓	✓	✓	3 mm	120
 Origins™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓		✓	✓	✓	3 mm	112.5

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions. Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

*Special orders subject to applicable production minimums and associated setup charge/color change fees.

** May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

Modular Architectural Pavers (Continued)








UNITS	THICKNESS	SIZE	APPLICATIONS				ADA**	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	Textured	DuraFusion	DuraFusion + ColorTech		
 Basalt™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓		✓	✓		3 mm	112.5
 Berkshire Plank Paver* <i>(special order)</i>	80 mm	5½" x 11¼" 5½" x 15¾" 5½" x 19¼" 5½" x 23¾" 5½" x 27¼"	80 mm				✓	✓		✓		3 mm	96
 Brooklyn™	60 mm	3" x 9"	60 mm						✓		✓	N/A	99.5
 Charlestone™	60 mm	6" x 6" 6" x 9" 6" x 12"	60 mm						✓	✓		Rolled Edge	105
 Dimensions™ Paver	60 mm	6" x 9"	60 mm				✓		✓	✓	✓	3 mm	112.5
 Historic Brick* <i>(special order)</i>	60 mm	4" x 8"	60 mm							✓		N/A	120
 Origins™ Paver	60 mm	6" x 9"	60 mm				✓		✓	✓	✓	3 mm	112.5
 Papyrus™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓		✓	✓		3 mm	112.5
 Trilogy® Smooth	60 mm	6½" x 13" 13" x 13" 13" x 19"	60 mm					✓			✓	3 mm	105
 Trilogy® Textured	60 mm 80 mm	6½" x 13" 13" x 13" 13" x 19"	60 mm 80 mm		80 mm				✓		✓	3 mm	105
 Village Square* <i>(special order)</i>	60 mm	12" x 12"	60 mm					✓		✓		3 mm	112

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions. Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.









*Special orders subject to applicable production minimums and associated setup charge/color change fees.

** May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.



Vehicular & Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	FINISHES		CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	DuraFusion		
 Brick Stone	60 mm 80 mm	4" x 8"	60 mm	80 mm <i>(special order)</i>	80 mm <i>(special order)</i>	80 mm <i>(special order)</i>	✓	✓	✓	7 mm	120 (60 mm) 96 (80 mm)
 Old Towne Cobble	60 mm 80 mm	6" x 6" 6" x 9"	60 mm	80 mm <i>(special order)</i>	80 mm <i>(special order)</i>	80 mm <i>(special order)</i>	✓	✓	✓	3 mm	76 (80mm) 81.6 (80mm)











Specialty & Coping Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	FINISHES		CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	Textured		
 Laguna™ Coping	60 mm	14 ³ / ₁₆ " x 23 ⁵ / ₁₆ "					✓	✓		-	66
 Marina® Coping	60 mm	5 ¹ / ₁₆ " x 11 ¹³ / ₁₆ "					✓	✓		-	81
 ADA Warning Pavers	60 mm	4" x 8"	60 mm				✓	✓		3 mm	96








* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.



Permeable Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA**	MECHANICAL INSTALL	FINISHES				MANUF. JOINT WIDTH	% SURFACE OPENING	CHAMFER WIDTH	SQ. FT. PER PALLET
											Standard	Textured				
 Aqualine Ashlar™	80 mm	4½" x 4½" 4½" x 9" 9" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓		✓		10 mm	12%	3 mm	88
 Aqualine™	80 mm	4½" x 9"	80 mm	80 mm	80 mm	80 mm	✓		✓				10 mm	12%	3 mm	90
 Eco™ Cobble®	60 mm 80 mm	6¼" x 6¼" 6¼" x 9⅞"	60 mm 80 mm	80 mm	80 mm	80 mm	✓		✓		✓		10 mm	8%	3 mm	94.5 (60 mm) 102 (60 mm) 75.6 (80 mm) 81.8 (80 mm)
 Eco Paver	80 mm	6¾" x 9⅞"	80 mm	80 mm	80 mm	80 mm	✓		✓		✓		12 mm	10%	3 mm	86

Concrete Grid Pavements

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA**	MECHANICAL INSTALL	FINISHES		% SURFACE OPENING	SQ. FT. PER PALLET
												
 Turfstone™	80 mm	15¾" x 23⅝"	80 mm						✓		40%	73

*Special orders subject to applicable production minimums and associated setup charge/color change fees.


** May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.



AQUALINE 4 1/2 X 9




ECO COBBLE




ECO COBBLE



AQUALINE ASHLAR









TURFSTONE



AQUALINE ASHLAR

Porcelain Pavers

UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									
 Glocal	Concrete	3/4"	23.54" x 23.54"	Clear, Ideal, Classic	✓	✓	232.5	60	2,160
 Lagoon	Stone	3/4"	23.54" x 47.17"	Moonbeam, Sandshell, Sharkskin	✓	✓	271.25	70	2,621
 Noon - 8 x 48	Wood	3/4"	7.90" x 47.17"	Daylight, Ember, Honey	✓	✓	151.8	60	1,380
 Noon - 12 x 48	Wood	3/4"	11.73" x 47.17"	Daylight, Ember, Honey	✓	✓	155	40	1,480
 November	Stone	3/4"	23.54" x 23.54"	Rain, Wind, Warm, Land	✓	✓	32.5	60	2,160
 Quarziti 2.0 - 24 x 48	Stone	3/4"	23.54" x 47.17"	Glacier, Mountains, Waterfall, River	✓	✓	155	20	1,480
 Quarziti 2.0 - 24 x 24	Stone	3/4"	23.54" x 23.54"	Glacier, Mountains, Waterfall, River	✓	✓	32.5	60	2,160
 Verona	Stone	3/4"	24" x 24"	Blue Stone, Platinum, Yukon	✓	✓	232.5	60	2,160
 Unico 2.0	Stone/Wood	3/4"	11.62 x 23.54 x 3/4"	Quarziti 2.0, Noon and Ardesie Colors	✓		254.82	120	2,080

*If installing on elevated surface over 3/4" all porcelain must have a factory applied fiber mesh backing.
Spacers are required for all porcelain paver installations. For vehicular applications, there must be a mortar install over a concrete slab. Visit Belgard.com/porcelain for additional installation details.*

Rooftop Pavers & Accessories


UNITS	THICKNESS	SIZE	MATERIAL	FINISHES			PEDESTAL APPLICATION	PCS. PER PALLET	WEIGHT PER SQ. FT. (LBS)
				Smooth	Shot Blast	Diamond			
ROOFTOP PAVERS									
Classic Plaza Slab	1 7/8"	24" x 24"	Concrete	✓	✓	✓	✓	Varies 24-25 <i>Contact Belgard Representative for info</i>	23
Porcelain Plaza Pavers	3/4"	See page 14	Porcelain	✓			✓	-	-
Wood Plaza Paver	1.5"	24" x 24" 24" x 48"	Ipe Wood	✓			✓	-	5.56
ACCESSORIES									
Cubes & Cube Tops <i>(Made to order, custom sizes available)</i>	-	24" x 24" x 16 1/2" 48" x 24" x 16 1/2"	Ipe Wood or Powder Coated Aluminum	✓			✓	-	-
Pedestals - Fixed Height	-	1/4", 1/2", 3/4" height	-				✓	100 pcs per box	-
Pedestals - Adjustable	-	1 1/4" - 36" height*	-				✓	30 pcs per box	-

Classic Plaza Slab Colors




* Higher heights require extension couplers. Additionally, heights over 24" require bracing.


**SRI Color - Solar Reflective Index in excess of 80



WOOD PLAZA PAVERS



CLASSIC PLAZA SLAB



QUARZITI 2.0



GLOCAL



NOON



LAGOON

Segmental Retaining Walls Color Palette



PEWTER BLEND



DAKOTA BLEND



HARVEST BLEND




SILEX BLEND



SABLE BLEND










HICKORY







DIAMOND PRO PS QUARRIED FACE

Segmental Retaining Walls (SRW)


UNITS	UNIT SIZE			CONNECTION TYPE	ACCESSORIES* (SOLD SEPARATELY)		TEXTURE			FACE STYLES				BATTER/ SETBACK	SQ. FT. PER PALLET
	Height	Width	Depth	Block	Column/Corner Unit	Sculpted	Split	Tumbled	Smooth	Straight	Stone Cut	Quarried			
 AB® Classic	8"	18"	12"	Front Lip	✓			✓			✓			6°	48
 Belair Wall®	6"	8" 16" 16"	8"	Rear Lip	✓		✓							9.5°	XX
 Diamond Pro®	8"	18"	12"	Rear Lip	✓			✓			✓	✓		7.1°	48
 Diamond Pro® Air	8"	18"	12"	Surface Lug	✓			✓		✓	✓			4°	36
 Diamond Pro® PS	8"	18"	12"	Pin	✓		✓	✓			✓		✓	1.7° or 7.1°	48
 Terrace Wall	6"	16"	12"	Rear Lip	✓			✓			✓			9.5°	48
 Vertica®	8"	18"	11" (2D) 12" (4D)	Surface Lug	✓			✓			✓			2° (2D) 4° (4D)	36

Architectural Single & Double Sided Walls

UNITS	UNIT SIZE			CONNECTION TYPE	ACCESSORIES* (SOLD SEPARATELY)		TEXTURE			FACE STYLES				BATTER/ SETBACK	SQ. FT. PER PALLET
	Height	Width	Depth	Block	Column/ Corner Unit	Cap	Sculpted	Split	Tumbled	Smooth	Straight	Stone Cut	Quarried		
 Coventry® Wall III	6"	8" / 6" 10" / 8" 16" / 14"	10"	Pin	✓	✓		✓				✓		Vertical or 4.76°	32
 Coventry® Wall III	3"	8" / 6" 10" / 8" 16" / 14"	10"	Pin	✓	✓		✓				✓		Vertical or 4.76°	32
 Melville™ Wall	4"	20"	10"		✓	✓		✓			✓			Vertical	26.6




AB CLASSIC




VERTICA




DIAMOND PRO AIR SMOOTH FACE




DIAMOND PRO PS




AB CLASSIC




DIAMOND PRO PS




DIAMOND PRO QUARRIED FACE




DIAMOND PRO AIR STRAIGHT FACE




COVENTRY WALL III



AB CLASSIC




VERTICA



DIAMOND PRO PS

Complementary Products

PRODUCT	SIZE	PALLET INFORMATION
CORNERS		
 6" Universal Corner	6" x 16" x 8"	108 units per pallet
 8" Universal Corner	8" x 18" x 9"	60 units per pallet
 12" AB Full Return Corner	8" x 12" x 8"	36 units per pallet
CAPS		
 3" Double Sided Universal Cap	3" x 17¼" x 10¾"	48 units per pallet
 4" Universal Cap	4" x 16" / 14" x 10¾"	72 units per pallet
 4" Diamond Pro Cap	4" x 18" x 12"	60 units per pallet
 AB Cap	4" x 17½" x 12"	40 units per pallet
 Belair Wall Cap	3" x 13.5" x 7.5"	144 units per pallet
 Chapeau Cap	3" x 24" / 22" x 14"	28 units per cube
 Diamond Pro® Quarried Face Cap	4" x 17¼" / 12" x 10¾"	54 units per pallet
 Diamond Pro® Air Smooth Face Cap	4" x 18" / 12" x 13"	80 units per pallet
 Melville™ Cap	2" x 20" x 13"	60 units per pallet
 Vertica Cap 2D	4" x 18" x 11.5"	72 units per pallet
 Vertica Cap 4D	4" x 18" x 12"	72 units per pallet
ACCESSORIES		
 Anchor Landing Step	6" x 48" x 18"	2 units per pallet

Professional support



Environmental Solutions

Belgard consultants can work with your team to develop the best PICP system design or retaining wall configuration to control runoff volume and discharge rates, improve the quality of local groundwater, reduce or prevent downstream impacts, and minimize the land consumed for stormwater management.



CAD Files

For your convenience, Belgard offers a constantly expanding library of easy-to-download CAD files of our products and patterns.



Continuing Education

Belgard offers a variety of ongoing educational programs for our industry partners, including Lunch & Learns, online CEU courses, and our Belgard University training program.



Site Planning

The experts at Belgard can help you optimize your site in a number of ways—whether you're looking for creative ways to define public spaces, manage or harvest stormwater, or increase the useable space for development.



Engineering Services

Our team of design consultants can help address both aesthetic and engineering design concerns, material quantity estimates and permit ready plans.



EASTON
800 Uhler Road
Easton, PA 18040

WRIGHTSTOWN
2 Farago Blvd,
Wrightstown, NJ 08640

PARKER FORD
16 Anderson Rd,
Parker Ford, PA 19457



BELGARD
COMMERCIAL

AN OLDCASTLE APG® OUTDOOR BRAND

BELGARDCOMMERCIAL.COM

©2025 Oldcastle APG, Inc. All Rights Reserved. BELCOMM25-D-406050